



Cleaner - Sanitizer - Fungicide - Mildewstat - Virucide* - Deodorizer
For Homes, Hospitals, Institutional and Industrial Use
Formulated for Veterinary Practice/Animal Care/Animal Laboratory Disinfection
Staphylocidal • Pseudomonacidal • Bactericidal • Salmonellacidal • Fungicidal • Virucidal*

ACTIVE INGREDIENTS:

Octyl decyl dimethyl ammonium chloride.....	1.65%
Dioctyl dimethyl ammonium chloride.....	0.66%
Didecyl dimethyl ammonium chloride.....	0.99%
Alkyl (C ₁₄ , 50%; C ₁₂ , 40%; C ₁₆ , 10%) dimethyl benzyl ammonium chloride.....	2.20%
OTHER INGREDIENTS:.....	94.50%
TOTAL:.....	100.00%

KEEP OUT OF REACH OF CHILDREN
DANGER/PELIGRO
PRECAUTIONARY STATEMENTS
HAZARDS TO DOMESTIC ANIMALS

DANGER. CORROSIVE. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin or on clothing. Wear protective eyewear (goggles, face shield, or safety glasses), protective (rubber or chemical resistant) gloves and protective clothing. Harmful if swallowed or absorbed through the skin. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling poison control center or doctor or going for treatment.

ENVIRONMENTAL HAZARDS: Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

EPA Reg. No. 6836-140-11547 EPA Est. 11547-WI-1

Net Contents: 5 20 35 55 GALLON(S)

VIRO-STAT ONE-STEP DISINFECTANT will disinfect, clean and deodorize surfaces in rest rooms and toilet areas, behind and under sinks and counters, garbage cans and garbage storage areas and other places where bacterial growth can cause malodors.

Use this product in federally inspected Meat & Poultry Plants as a food contact sanitizer and/or disinfectant. This product was authorized by USDA as category D2 under the prior authorization program and its formula has not been changed - a sanitizer for all surfaces not always requiring a rinse.

This product is formulated for use in daily maintenance programs with a balance of detergents, biocides and malodor counteractants that deliver effective cleaning, disinfecting and malodor control. This product is a versatile disinfectant and sanitizer for hard, nonporous surfaces in Veterinarian, Animal care and Farm Premise applications.

Use this product in homes, hospitals, medical and dental offices, nursing homes, day care centers, nurseries, convenience stores, public rest rooms, institutions, schools and colleges, athletic facilities, locker rooms, dressing rooms, shower and bath areas, exercise facilities, camp grounds, play ground equipment, institutional and public facilities, food processing plants, USDA inspected food processing facilities, kennels, pet animal quarters, zoos, pet shops, animal laboratories, transportation terminals, hotels and motels, factories, business and office buildings, boats, ships, campers, trailers, mobile homes, cars, buses, trains, taxis, airplanes, emergency vehicles, prisons, and correctional facilities.

Use this product on washable hard, nonporous surfaces: floors, walls, countertops, stovetops, sinks, exteriors of appliances, exteriors of refrigerators, exteriors of microwave ovens, cabinets, highchairs, garbage cans, refrigerated storage and display equipment, tables, non-wooden picnic tables, outdoor furniture except cushions and wood frames, chairs, desks, telephones, doorknobs, shower stalls, tubs and glazed tiles, bathtubs, toilet bowl surfaces, bathroom fixtures, kennel runs, cages, coils and drain pans of air conditioning and refrigeration equipment and heat pumps, conductive flooring, non-critical medical equipment surfaces: hospital beds, crutches, examining tables, stethoscopes, walkers, wheel chairs, and other hard nonporous surfaces made of metal, stainless steel, glazed porcelain, glazed ceramic, sealed stone, plastic (such as polystyrene or polypropylene), glazed enameled surfaces, vinyl and plastic linoleum and laminated surfaces.

This product is a concentrated one-step Hospital Use, disinfectant/cleaner that is effective against a broad spectrum of bacteria, is virucidal* (including HIV-1, the AIDS virus and Hepatitis A Virus and Hepatitis C Virus), fungicidal, and inhibits the growth of mold and mildew and their odors when used as directed.

This product is a one-step Hospital use disinfectant/bactericidal according to the current AOAC Use-Dilution Test Method, Fungicidal according to the AOAC Fungus Test and Virucidal* according to the Virucidal qualification modified in the presence of 200 ppm hard water plus 5% organic serum against: *Bacteri*, *Pseudomonas aeruginosa* (Pseudomonas), *Staphylococcus aureus* (Staph), *Salmonella enterica* (Salmonella), *Acinetobacter baumannii* (Acinetobacter), *Corynebacterium ammoniagenes*, *Campylobacter jejuni* (Campylobacter), *Enterobacter aerogenes*, *Enterococcus faecalis* (Enterococcus), *Enterococcus faecalis* - Vancomycin resistant (VRE), *Escherichia coli* (E. coli), ESB1 *Escherichia coli* - (Extended spectrum beta-lactamase producing E. coli), *Klebsiella pneumoniae* (Klebsiella), *Legionella pneumophila*, *Listeria monocytogenes* (Listeria), *Burkholderia cepacia*, *Salmonella schottmuelleri* (Salmonella), *Salmonella typhi* (Salmonella), *Serratia marcescens*, *Shigella dysenteriae* (Shigella), *Staphylococcus aureus* - Methicillin-Resistant (MRSA), *Staphylococcus aureus* - Multi-Drug Resistant, *Staphylococcus aureus* - Vancomycin Intermediate Resistant - (VISA), *Streptococcus pyogenes* (Strep), *Vibrio cholerae*.

Viruses: *Hepatitis B Virus (HBV), *Hepatitis C Virus (HCV), *Herpes Simplex Virus Type 1 (Herpes), *Herpes Simplex Virus Type 2 (Herpes), *HIV-1 (the AIDS Virus), *Human Coronavirus, *Influenza Virus Type A/Brazil (Influenza), *Norwalk Virus (Norovirus), *Respiratory Syncytial Virus (RSV), *SARS Associated Coronavirus, *Vaccinia (Pox Virus), * Adenovirus Type 5 (Adenovirus), *Adenovirus Type 7 (Adenovirus).

Fungi: Trichophyton mentagrophytes (the Athlete's Foot Fungus), Aspergillus niger.

This product is a sanitizer for hard nonporous non-food contact surfaces according to the method for Sanitizers - Non-Food Contact Surfaces, modified in the presence of 500 ppm hard water plus 5% organic serum in 60 seconds against:

Klebsiella pneumoniae
Staphylococcus aureus

This product meets Sanitizer Test standards for non-food contact sanitizers. This product eliminates 99.9% of *Staphylococcus aureus* and *Klebsiella pneumoniae* in 60 seconds. This product is a mildewstat and will effectively inhibit the growth of mold and mildew and the odors caused by them when applied to hard nonporous surfaces.

Disinfection (1:64)	DILUTION	2 oz. per gallon of water.
Disinfection (1:16)		8 oz. per gallon of water.
Sanitizer (1:256) 2 oz. per 4 gallons of water (200 ppm active).		

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Before use in federally inspected meat and poultry food processing plants and dairies, food products and packaging materials must be removed from the room or carefully protected.

Preparation of Disinfectant Use Solution: Add (mix) 2 oz. per gallon of water (1:64) for heavy duty use, add (mix) 8 oz. per gallon of water (1:16). Use 8 oz. per gallon of water to kill Adenovirus Type 5 and Type 7.

(Animal Viruses) Avian Infectious Bronchitis Virus, Avian Influenza Virus H3N2, Avian Influenza Virus H5N1, Canine Distemper Virus, Feline Calicivirus, Newcastle Disease Virus, Pseudorabies Virus.

VETERINARY PRACTICE/ANIMAL CARE/ANIMAL LABORATORY/ZOOS/PET SHOP/KENNELS DISINFECTANT VIRUCIDAL* DIRECTIONS: For cleaning and disinfecting hard nonporous surfaces: equipment used for feeding or watering animals, utensils, instruments, cages, kennels, stables, catteries, pens, stalls and etc. Remove all animals and feeds from premises, animal transportation vehicles, crates, pens, stalls and etc. Remove all litter, droppings and manure from floors, walls and surfaces of facilities occupied or traversed by animals. Empty all feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate surfaces with a use-solution of 2 oz. of this product per gallon of water (or equivalent dilution) for a period of 10 minutes. Use 8 oz. per gallon of water to kill Adenovirus Type 5 and Type 7. Wipe or allow to air dry. Immerse all halters, ropes, and other types of equipment used in handling and restraining animals as well as forks, shovels, and scrapers used to remove litter and manure. Thoroughly scrub all treated surfaces, then rinse all surfaces that come in contact with food, including equipment used for feeding or watering, with potable water before reuse. Ventilate buildings, animal enclosures, and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set or dried.

DISINFECTANT/VIRUCIDAL*/FUNGICIDAL/MOLD AND MILDEW CONTROL DIRECTIONS: Apply use-solution to hard, nonporous surfaces, thoroughly wetting the surfaces, with a cloth, mop, sponge, sprayer or by immersion. Treated surfaces must remain wet for 10 minutes. For Influenza

Virus Type A and Human Coronavirus treated surfaces must remain wet for 1 minute. Wipe dry with a cloth, sponge or mop or allow to air dry. For heavily soiled areas, a preliminary cleaning is required. For sprayer applications, use a coarse spray device. Spray 6-8 inches from surface; rub with brush, sponge or cloth. Avoid breathing spray.

For fungicidal activity, this product is an effective fungicide against Trichophyton mentagrophytes (the athlete's foot fungus) in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities.

This product is a one-step fungicide at 2 oz. per gallon of water in 200 ppm hard water and 5% serum. For mold and mildew At 2 oz. per gallon, this product will effectively inhibit the growth of mold and mildew and the odors caused by them when applied to hard, nonporous surfaces. Follow disinfection instructions. Repeat treatment every seven days, or more often if new growth appears.

Rinse all surfaces that come in contact with food such as countertops, appliances, tables and stovetops with potable water before reuse. Do not use on utensils, glassware and dishes as a disinfectant.

Prepare a fresh solution daily or more often if the use solution becomes visibly dirty or diluted.

This product is not for use on medical device surfaces.

TO CLEAN AND DEODORIZE: Mix 2 oz. per gallon of water to clean and deodorize surfaces. Apply using a cloth, mop, sponge or sprayer. Wipe or allow to air dry.

***KILLS HIV AND HBV AND HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects kept to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS) or Hepatitis B Virus (HBV) or Hepatitis C Virus (HCV).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 OR HBV OR HCV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.
PERSONAL PROTECTION: Clean up must always be done wearing protective gloves, gowns, masks and eye protection.
CLEANING PROCEDURE: Blood and other body fluids containing HIV-1 or HBV or HCV must be thoroughly cleaned from surfaces and objects before application of this product.
CONTACT TIME: Leave surface wet for 1 minute (60 seconds) for HIV-1 and 10 minutes for HBV and HCV with a 2 oz. per gallon use-solution. Use 8 oz. per gallon of water to kill Adenovirus Type 5 and Type 7. Use a 10 minute contact time for disinfection against all other viruses, bacteria and fungi claimed.

DISPOSAL OF INFECTIOUS MATERIAL: Blood, body fluids, cleaning materials and clothing must be autoclaved and disposed of according to local regulations for infectious waste disposal.
TO SANITIZE NON-FOOD CONTACT SURFACES: Add (mix) 2 oz. of this product per 4 gallons of water (1/2 oz. of this product per gallon of water) to sanitize hard nonporous surfaces. Treated surfaces must remain wet for 60 seconds. Wipe dry with a sponge, mop or cloth or allow to air dry.

WATER DAMAGE RESTORATION AGAINST ODOR-CAUSING BACTERIA AND FUNGI FOR HOME, INSTITUTIONAL, INDUSTRIAL AND HOSPITAL USE: This product is particularly suitable for use in water damage restoration situations against odor causing bacteria on the following porous and semi-porous materials: carpets, carpet cushions, subfloors, drywall, trim and frame lumber, tackless strip and paneling. Using appropriate dilution, saturate the affected materials with enough product to remain wet for at least 10 minutes.

Sewer Backup and River Flooding: During mitigation procedures, dilute 2 - 4 oz. of the concentrate per gallon of water, allowing for the diluting effect of absorbed water within saturated materials.

Remove gross fillth or heavy soil along with non-salvageable materials. Saturate all affected areas with a coarse spray device before and after cleaning and extraction.

Carpets, Carpet Cushions and Other Porous Materials such as SubFloors, Drywall, Trim and Frame Lumber, Tackless Strip and Paneling: For water damage from a clean source, extract excess water. Test hidden area for colorfastness. Dilute 2 - 4 oz. of the concentrate per gallon of water, allowing for the diluting effect of absorbed water within saturated materials. Remove gross fillth or heavy soil. Saturate all affected areas with a coarse spray device. Roll, brush or agitate into the materials and allow materials to remain wet for 10 minutes. Follow with a thorough extraction. Dry rapidly and thoroughly.

Special instructions For Cleaning Carpet Against Odor Causing Bacteria: Use this product in industrial and institutional areas such as homes, motels, hotels, nursing homes, schools, and hospitals. Use on wet-cleanable synthetic fibers. Do not use on wool. Vacuum carpet thoroughly prior to cleaning. Test fabric for colorfastness.

For portable extraction units: Mix 2 oz. of concentrate per gallon of water.
For truck mounted extraction machines: Mix 2 - 4 oz. of concentrate per gallon of water and meter at 4 gallons per hour.

For rotary floor machines: Mix 2 oz. of concentrate per gallon of water and apply at the rate of 300 - 500 sq. ft. per gallon. Do not mix this product with other cleaning products. Follow the cleaning procedures specified by the manufacturer of the cleaning equipment. After using the product, set the carpet pile and protect the carpet from furniture legs and bases while drying. Do not over-wet. If applied to stain resistant nylon carpet, apply a fabric protector according to the manufacturer's directions.

STORAGE AND DISPOSAL

(Household and Residential Use)
 Store in original container in areas inaccessible to children. Nonrefillable container. Do not reuse or refill this container. Wrap container and put in trash or offer for recycling if available.

(Commercial, Industrial & Institutional Use)
 Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Open dumping is prohibited. Store in original container in areas inaccessible to children.

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: (Plastic and Metal Containers) Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Fill container 1/4 full with water and reclose the container. Agitate vigorously, and dispose of rinsate consistent with pesticide disposal instructions. Repeat two more times. Then offer for recycling if available or puncture and dispose in sanitary landfill or by other procedures approved by state and local authorities. Follow pesticide disposal instructions for rinsate. If not triple rinsed, these containers cause hazardous wastes and must be disposed in accordance with local, state, and federal regulations.
(For metal containers only: DO NOT cut or weld metal containers.)

0175-030614

Sold By: **Share Corporation • P.O. Box 245013 • Milwaukee, WI 53224 • (800) 776-7192 • www.sharecorp.com**