



SECTION 1: Product and company identification

Product name : Cherry Grit
Use of the substance/mixture : Hand cleaner
Product code : 0437-Share
Company : Share Corporation
P.O. Box 245013
Milwaukee, WI 53224 - USA
T (414) 355-4000
sharecorp.com
Emergency number : Chemtrec: (800) 424-9300

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS US classification
Eye Irrit. 2 H319

2.2. Label elements

GHS US labeling
Hazard pictograms (GHS US) :



Signal word (GHS US) : Warning
Hazard statements (GHS US) : Causes serious eye irritation
Precautionary statements (GHS US) : Wash thoroughly after handling
Wear eye protection.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | GHS US classification |
|-------------------------------|----------------------|-----------|---|
| white mineral oil (petroleum) | (CAS-No.) 8042-47-5 | 3.0 – 7.0 | Asp. Tox. 1, H304 |
| Linear Alcohol Ethoxylate | (CAS-No.) 34398-01-1 | 1.0 – 5.0 | Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 |
| Crystalline Silica | (CAS-No.) 14808-60-7 | 0.1 – 1.0 | Carc. 1A, H350 STOT RE 1, H372 |

All hazardous chemicals, as determined by 29 CFR 1910.1200 have been listed. A specific chemical identity and/or percentage of composition has been withheld as a trade secret. Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation : Remove the victim into fresh air. If you feel unwell, seek medical advice.

Cherry Grit

Safety Data Sheet



| | |
|---------------------------------------|--|
| First-aid measures after skin contact | : Rinse with water. |
| First-aid measures after eye contact | : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. |
| First-aid measures after ingestion | : Rinse mouth with water. Do NOT induce vomiting. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|-------------------------------------|---|
| Symptoms/effects | : Causes serious eye irritation. |
| Symptoms/effects after inhalation | : None under normal use. |
| Symptoms/effects after skin contact | : Contact during a long period may cause slight irritation. Repeated exposure may cause skin dryness or cracking. |
| Symptoms/effects after eye contact | : Causes serious eye irritation. |
| Symptoms/effects after ingestion | : Gastrointestinal complaints. Nausea. Diarrhea. Cramps. |

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

| | |
|------------------------------|------------------------------------|
| Suitable extinguishing media | : All extinguishing media allowed. |
|------------------------------|------------------------------------|

5.2. Special hazards arising from the substance or mixture

| | |
|------------|---|
| Reactivity | : Upon combustion: CO and CO ₂ are formed. |
|------------|---|

5.3. Advice for firefighters

| | |
|--------------------------------|--|
| Firefighting instructions | : Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed containers. Take account of environmentally hazardous firefighting water. |
| Protection during firefighting | : Do not enter fire area without proper protective equipment, including respiratory protection. |

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

| | |
|------------------|---|
| General measures | : Isolate from fire, if possible, without unnecessary risk. |
|------------------|---|

6.1.1. For non-emergency personnel

| | |
|----------------------|--|
| Protective equipment | : Protective goggles. Gloves. Protective clothing. |
| Emergency procedures | : Evacuate unnecessary personnel. Avoid contact with skin, eyes and clothing. Ventilate spillage area. |

6.1.2. For emergency responders

| | |
|----------------------|---|
| Protective equipment | : Equip cleanup crew with proper protection. |
| Emergency procedures | : Stop leak if safe to do so. Stop release. Ventilate area. |

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

| | |
|-------------------------|--|
| For containment | : Contain released product, pump into suitable containers. |
| Methods for cleaning up | : This material and its container must be disposed of in a safe way, and as per local legislation. |

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

| | |
|-------------------------------|---|
| Precautions for safe handling | : Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Do not get in eyes, on skin, or on clothing. |
| Hygiene measures | : Wash thoroughly after handling. Wash contaminated clothing before reuse. |

7.2. Conditions for safe storage, including any incompatibilities

| | |
|------------------------|--|
| Technical measures | : Comply with applicable regulations. |
| Storage conditions | : Keep container closed when not in use. |
| Incompatible products | : Acids. Strong oxidizers. alkalis. |
| Incompatible materials | : Sources of ignition. Heat sources. |

Cherry Grit

Safety Data Sheet



Storage area : Meet the legal requirements. Store in a cool area. Store in a dry area.
 Special rules on packaging : meet the legal requirements.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Crystalline Silica (14808-60-7)

| | | |
|------|--------------------|--------------------|
| OSHA | OSHA PEL (TWA) [1] | 0.1 |
| OSHA | Remark (OSHA) | (3) See Table Z-3. |

Linear Alcohol Ethoxylate (34398-01-1)

Not applicable

white mineral oil (petroleum) (8042-47-5)

| | | |
|-------|---------------|--|
| ACGIH | ACGIH OEL TWA | 5 mg/m ³ (Inhalable fraction) |
|-------|---------------|--|

8.2. Exposure controls

Personal protective equipment : Use appropriate personal protective equipment when risk assessment indicates this is necessary.
 Safety glasses. Gloves. Protective clothing.



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
 Appearance : white, opaque liquid
 Odor : Cherry
 Odor threshold : No data available
 pH : 6.5 – 8.5
 Melting point : No data available
 Freezing point : No data available
 Boiling point : No data available
 Flash point : > 200 °F Closed Cup
 Relative evaporation rate (butyl acetate=1) : No data available
 Flammability (solid, gas) : No data available
 Explosion limits : No data available
 Explosive properties : No data available
 Oxidizing properties : No data available
 Vapor pressure : No data available
 Relative density : No data available
 Relative vapor density at 20 °C : No data available
 Density : 1.01 g/ml
 Solubility : Soluble in water.
 Partition coefficient n-octanol/water (Log Pow) : No data available
 Partition coefficient n-octanol/water (Log Kow) : No data available
 Auto-ignition temperature : No data available
 Decomposition temperature : No data available
 Viscosity : No data available
 Viscosity, kinematic : 5000 – 7000 cSt
 Viscosity, dynamic : No data available
 VOC content : < 0.5 %

SECTION 10: Stability and reactivity

10.1. Reactivity

Upon combustion: CO and CO₂ are formed.

10.2. Chemical stability

Stable under normal conditions.

Cherry Grit

Safety Data Sheet



10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Linear Alcohol Ethoxylate (34398-01-1)

| | |
|---------------|--------------|
| LD50 oral rat | > 1400 mg/kg |
|---------------|--------------|

white mineral oil (petroleum) (8042-47-5)

| | |
|-----------------------|---|
| LD50 oral rat | > 5000 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Read-across, Oral, 14 day(s)) |
| LD50 dermal rabbit | > 2000 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Read-across, Dermal, 14 day(s)) |
| LC50 Inhalation - Rat | > 5 mg/l (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Read-across, Inhalation (aerosol), 14 day(s)) |

Skin corrosion/irritation : Not classified
pH: 6.5 – 8.5

Serious eye damage/irritation : Causes serious eye irritation.
pH: 6.5 – 8.5

Respiratory or skin sensitization : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified.

Crystalline Silica (14808-60-7)

| | |
|------------|----------------------------|
| IARC group | 1 - Carcinogenic to humans |
|------------|----------------------------|

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

Symptoms/effects after inhalation : None under normal use.

Symptoms/effects after skin contact : Contact during a long period may cause slight irritation. Repeated exposure may cause skin dryness or cracking.

Symptoms/effects after eye contact : Causes serious eye irritation.

Symptoms/effects after ingestion : Gastrointestinal complaints. Nausea. Diarrhea. Cramps.

Likely routes of exposure : Skin and eye contact

SECTION 12: Ecological information

12.1. Toxicity

| | |
|--|-----------|
| Linear Alcohol Ethoxylate (34398-01-1) | |
| LC50 - Fish [1] | < 10 mg/l |
| EC50 - Crustacea [1] | < 10 mg/l |
| ErC50 algae | < 10 mg/l |

| | |
|---|--|
| white mineral oil (petroleum) (8042-47-5) | |
|---|--|

Cherry Grit

Safety Data Sheet



| | |
|-----------------|--|
| LC50 - Fish [1] | > 100 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, Nominal concentration) |
|-----------------|--|

12.2. Persistence and degradability

| | |
|---|-------------------------------------|
| white mineral oil (petroleum) (8042-47-5) | |
| Persistence and degradability | Not readily biodegradable in water. |

12.3. Bioaccumulative potential

| | |
|---|---|
| white mineral oil (petroleum) (8042-47-5) | |
| BCF - Other aquatic organisms [1] | 1216 l/kg (BCFBAF v3.01, Estimated value, Fresh weight) |
| Partition coefficient n-octanol/water (Log Pow) | 5.18 (Experimental value) |
| Bioaccumulative potential | Potential for bioaccumulation (500 ≤ BCF ≤ 5000). |

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT : Not regulated for transport

Additional information

Other information : No supplementary information available.

ADR

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

| | | |
|---------------------------|--------------|---|
| Linear Alcohol Ethoxylate | (34398-01-1) | SARA Section 311/312 Hazard Classes Immediate (acute) health hazard |
|---------------------------|--------------|---|



WARNING

This product can expose you to Crystalline Silica, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.




SECTION 16: Other information

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.

NFPA health hazard : 1 - Materials that, under emergency conditions, can cause significant irritation.

NFPA fire hazard : 1 - Materials that must be preheated before ignition can occur.

NFPA reactivity : 0 - Material that in themselves are normally stable, even under fire conditions.



Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.