



SILVERSTONE

EXTERIOR SURFACE CLEANER

- Works great on any surface - Stone, concrete, stucco, brick, marble, granite, aluminum, tin, plastic, fiberglass, vinyl, brass, glass, bronze, wood, and more!
- Completely safe! No hazardous components, no VOCs. It has a neutral pH and no caustics or acid splashback worries.
- No bleach or phosphates.
- Super concentrated! Can be used in pressure washing, steam cleaning.

Use On: Buildings • Outdoor Furniture • Dock Doors • Bleachers & Stadiums • Sidewalks
Cemetery Markers & Monuments • Statues & Fountains • Golf Carts • Patios & Pool Decks
Outdoor Signage • Sheds • Barns • RV Vehicles • Tents • Portable Toilets



DANGER

Causes skin irritation. Causes serious eye damage.

KEEP OUT OF REACH OF CHILDREN

NET CONTENTS: 1 5 20 35 55 Gallon(s)

SILVERSTONE

EXTERIOR SURFACE CLEANER



PO BOX 245013
MILWAUKEE, WI 53224
800.776.7192
www.sharecorp.com



DANGER: Causes skin irritation. Causes serious eye damage.

Wash thoroughly after handling. Wear eye protection, protective clothing, protective gloves. Take off contaminated clothing and wash before reuse.

IF ON SKIN: Wash with plenty of water.

If skin irritation occurs: Get medical advice/attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a doctor.

For industrial and commercial use only.

For additional information, see Safety Data Sheet.

DISPOSAL:

Offer empty container for recycling. If recycling is not available, discard container in trash.

NFPA® RATINGS:

Health: 2; Flammability: 0; Reactivity: 0

INGREDIENTS/CAS #:

Water (7732-18-5); Hydrogen Peroxide (7722-84-1); Ethoxylated C11 alcohol (34398-01-1); Ethoxylated lauryl alcohol (9002-92-0); Ethoxylated coco ammonium chloride (61791-10-4).

SILVERSTONE

EXTERIOR SURFACE CLEANER

DIRECTIONS:

Dilution mixtures should be determined upon how soiled the surface is and the porosity of the surface to be cleaned is.

Light Duty Cleaning: On surfaces that are smooth and non-porous such as aluminum, glass, steel, etc., dilute 2 ounces per gallon of cold tap water.

Medium Duty Cleaning: On surfaces that are slightly porous such as concrete, wood, etc. dilute 4 ounces per gallon of cold tap water. Light agitation with a brush may aid in the cleaning process.

Heavy Duty Cleaning: On surfaces that are highly porous such as stone, brick, stucco, granite, etc. or surfaces that are encrusted with black algae, dilute up to 12 ounce per gallon of cold tap water. Agitation with a brush will enhance the cleaning process. For extremely soiled and porous surfaces, a second cleaning application may be necessary.



Please Recycle.

0714.052720