



# PRODIGY

## NON-ACID COIL CLEANER AND BRIGHTENER

- **Powerful foaming action** - quickly dissolves encrusted deposits and oxide layers.
- **Cleans from the inside out** - drives out embedded dirt, dust and residue.
  - **Non-acid** - less harmful to equipment than acid-type brighteners.
- **Strips off harmful insulating deposits** - helps reduce energy costs.
  - **Economical** - can be mixed with up to 25 parts water.
- **Easy to use** - no scrubbing or agitation needed; just spray on and rinse off.
- **Versatile** - can also be used to clean and brighten unpainted aluminum sheds, roofs and buildings, scaffolding and ladders.

### DANGER

May be corrosive to metals. Harmful if swallowed.  
Causes severe skin burns and eye damage.

**KEEP OUT OF REACH OF CHILDREN**

NET CONTENTS:  1  5  20  35  55 Gallon(s)

# PRODIGY

## NON-ACID COIL CLEANER AND BRIGHTENER



PO BOX 245013  
MILWAUKEE, WI 53224  
800.776.7192  
www.sharecorp.com

## AREAS OF USE: HVAC COILS · ALUMINUM SURFACES



### DANGER:

May be corrosive to metals. Harmful if swallowed. Causes severe skin burns and eye damage.

### PREVENTION:

Keep only in original container. Do not breathe mist, spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear eye protection, protective clothing, protective gloves.

**IF SWALLOWED:** Call a doctor, a POISON CENTER if you feel unwell. Rinse mouth. Do NOT induce vomiting.

**IF ON SKIN (OR HAIR):** Take off immediately all contaminated clothing. Rinse skin with water/shower.

**IF INHALED:** Remove person to fresh air and keep comfortable for breathing.

**IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a doctor, a POISON CENTER.

Absorb spillage to prevent material damage.

Store locked up. Store in corrosive resistant container with a resistant inner liner.

Dispose of contents/container to comply with local/regional/national/international regulations.

**WARNING:** This product can expose you to ethylene oxide, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

### INGREDIENTS/CAS #:

Water (7732-18-5); Potassium Hydroxide (1310-58-3); Butoxyethanol (111-76-2); Cocamidopropyl Hydroxysultaine (68139-30-0); Ethoxylated Alcohols, Phosphate Ester (68130-47-2); Ethanolamine (141-43-5); Phosphoric Acid (7664-38-2).

High energy costs, equipment downtime and HVAC repairs are expensive. Maintaining a clean, smooth-running unit is the key to saving money.

Routine maintenance of air-cooled condensers, filters, coils and equipment improves efficiency and cooling capacity. Proper cleaning of the cooling system at the beginning of the season will:
 

- Reduce energy costs by as much as 30%
- Save as much as \$60 per ton in a season (\$600 savings on a 10-ton unit)
- Help maintain peak operating efficiency
- Enhance the system's reliability and helps prevent unexpected shutdown
- Extend the life of the compressor and all system components
- Improve building air quality.

**PRODIGY COIL CLEANER** removes grease, dirt, dust and oil film from heating/air conditioning coils, cooling coils, fans, screens, vents and metal filters. It will not harm or corrode aluminum, copper or other soft metals and contains no acids.

**DIRECTIONS:** For coils and heat exchange units on the hot side, with no condensation, dilute **PRODIGY COIL CLEANER** with water, 10 to 1 up to 25 to 1. Spray the solution of INFLUX on the coils. Allow it to stand for a few minutes. Rinse with water.

For coils, tubes, and fins where condensation occurs: Dilute **PRODIGY COIL CLEANER** with water, 10 to 1 up to 25 to 1. Spray solution on coils or other areas to be cleaned. Turn the it on or spray while the unit is running and air is flowing through. The **PRODIGY COIL CLEANER** solution will lift the dirt, deposits, oil and lint from sprayed areas and suspend it in the non-drying solution. Allow it to stand for a few minutes. Rinse with water.

Then as the unit creates condensation, this solution, along with the dirt suspended in it, will be washed from the coils into the pan and down the drain.

### NFPA® RATINGS:

Health: 2; Flammability: 0; Reactivity: 0

For industrial and commercial use only.

For additional information, see Safety Data Sheet.



Please Recycle.

1426.052322