# Safety Data Sheet



## SECTION 1: Product and company identification

Product name : Flying Insect Killer

Use of the substance/mixture : Aerosol

Insecticide

Product code : 840501

Company : Share Corporation P.O. Box 245013

Milwaukee, WI 53224 - USA

T (414) 355-4000

Emergency number : Chemtrec: (800) 424-9300

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification (GHS-US)

Flam. Aerosol 2
Compressed gas
Skin Irrit. 2
H315
Eye Irrit. 2A
Skin Sens. 1
H317

Full text of H-phrases: see section 16

#### 2.2. Label elements

#### **GHS-US** labeling

Hazard pictograms (GHS-US)







GHS07

GHS04

Signal word (GHS-US) : Warning

Hazard statements (GHS-US) : Flammable aerosol

Contains gas under pressure; may explode if heated

Causes skin irritation

May cause an allergic skin reaction Causes serious eye irritation

Precautionary statements (GHS-US) : Keep away from heat, hot surfaces, Do not smoke, open flames, sparks. - No smoking

Do not spray on an open flame or other ignition source Pressurized container: Do not pierce or burn, even after use

Avoid breathing dust, fume, gas, mist, spray, vapors

Wash thoroughly after handling

Contaminated work clothing must not be allowed out of the workplace Wear protective gloves, protective clothing, eye protection, face protection

If on skin: Wash with plenty of water

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing

Specific treatment (see First aid measures on this label) If skin irritation occurs: Get medical advice/attention If skin irritation or rash occurs: Get medical advice/attention If eye irritation persists: Get medical advice/attention Take off contaminated clothing and wash before reuse Take off contaminated clothing and wash it before reuse Protect from sunlight. Store in a well-ventilated place

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

Dispose of contents/container to comply with local/regional/national/international regulations

#### 2.3. Other hazards

No additional information available

#### 2.4. Unknown acute toxicity (GHS US)

Not applicable

## **SECTION 3: Composition/information on ingredients**

### 3.1. Substance

Not applicable

Full text of H-phrases: see section 16

#### 3.2. Mixture

Date of issue: 10/2/2015 Revision date: 05/20/2015 Version: 1.0 P GHS SDS Page 1 of 6

# Safety Data Sheet



| Name  | Product identifier  | %      | Classification (GHS-US)  |
|---|---------------------|--------|--|
| propane   | (CAS No) 74-98-6    | 5 - 10 | Flam. Gas 1, H220<br>Compressed gas, H280  |
| hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics                       | (CAS No) 64742-47-8 | 3 - 7  | Flam. Liq. 4, H227<br>Asp. Tox. 1, H304  |
| isobutane   | (CAS No) 75-28-5    | 1 - 5  | Not classified   |
| permethrin (ISO), m-phenoxybenzyl 3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate | (CAS No) 52645-53-1 | 0.25   | Acute Tox. 4 (Oral), H302<br>Acute Tox. 4 (Inhalation), H332<br>Skin Sens. 1, H317 |

## **SECTION 4: First aid measures**

4.1. Description of first aid measures

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON

CENTER or doctor/physician if you feel unwell.

First-aid measures after skin contact : Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

First-aid measures after eye contact : Rinse immediately with plenty of water for 15 minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Causes skin irritation. Causes serious eye irritation. Contents under pressure. May cause an allergic

skin reaction.

Symptoms/injuries after inhalation : Coughing. Headache. Irritation of the respiratory tract.
Symptoms/injuries after skin contact : Causes skin irritation. May cause an allergic skin reaction.

Symptoms/injuries after eye contact : Causes serious eye irritation.

Symptoms/injuries after ingestion : Harmful if swallowed. Fatal if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Water fog. Foam

5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable aerosol. Under fire conditions closed containers may rupture or explode.

Explosion hazard : Bursting aerosol containers may be propelled from a fire at high speed. Pressurized container: may

burst if heated. Vapors may travel long distances along ground before igniting/flashing back to vapor

source.

Reactivity : Upon combustion: CO and CO2 are formed.

5.3. Advice for firefighters

Firefighting instructions : Exercise caution when fighting any chemical fire. Move containers away from the fire area if this can

be done without risk. No action shall be taken involving any personal risk or without suitable training.

Use water spray or fog for cooling exposed containers.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

## **SECTION 6: Accidental release measures**

6.1. Personal precautions, protective equipment and emergency procedures

General measures : No flames, No sparks. Eliminate all sources of ignition. Evacuate unnecessary personnel. Isolate

from fire, if possible, without unnecessary risk.

6.1.1. For non-emergency personnel

Protective equipment : Do not enter without an appropriate protective equipment.

Emergency procedures : Avoid contact with skin, eyes and clothing. Evacuate unnecessary personnel. Keep upwind. Ventilate

spillage area.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Stop leak if safe to do so. Stop release. Ventilate area.

6.2. Environmental precautions

Stop leak if safe to do so. Isolate hazard area. Prevent entry to sewers and public waters. Eliminate all ignition sources. Use ventilation/water spray/fog to disperse vapors. Prevent runoff from entering drains, sewers or waterways. Take up liquid spill into inert absorbent material.

6.3. Methods and material for containment and cleaning up

For containment : Dam up the liquid spill.

 Date of issue: 10/2/2015
 Revision date: 05/20/2015
 Version: 1.0
 P GHS SDS
 Page 2 of 6

# Safety Data Sheet

Methods for cleaning up

: Carefully collect the spill/leftovers. This material and its container must be disposed of in a safe way, and as per local legislation. Do NOT use clay-type absorbent materials.

## 6.4. Reference to other sections

No additional information available

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Additional hazards when processed

Handle empty containers with care because residual vapors are flammable. Pressurized container:

Do not pierce or burn, even after use. Keep away from heat, sparks and flame.

Precautions for safe handling : Avoid contact with skin, eyes and clothing. Intentional misuse by deliberately concentrating and

inhaling may be harmful or fatal.

Hygiene measures : Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Do not puncture, incinerate or crush. Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

Storage conditions : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Keep container tightly closed. Keep cool. Protect from sunlight. Store in a well-ventilated place. Store

in a dry place.

Incompatible products : acids. Inorganic clays (clay-type absorbents). Strong oxidizers.

Storage temperature : < 49 °C

## SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

| propane (74-98-6)   |                      |          |
|---------------------|----------------------|----------|
| ACGIH               | ACGIH TWA (ppm)      | 1000 ppm |
| OSHA                | OSHA PEL (TWA) (ppm) | 1000 ppm |
| isobutane (75-28-5) |                      |          |
| ACGIH               | ACGIH STEL (ppm)     | 1000 ppm |

#### 8.2. Exposure controls

Appropriate engineering controls

: Ensure good ventilation of the work station.

Personal protective equipment

Gloves. Protective goggles. Use appropriate personal protective equipment when risk assessment indicates this is necessary.





## SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Physical state : Gas

Appearance : Aerosol. milky. Emulsion.

Odor : Cherry

Odor threshold : No data available

pH : 7-8

Melting point : No data available
Freezing point : No data available
Boiling point : No data available
Flash point : > 170 °F (liquid portion)

Relative evaporation rate (butyl acetate=1) : No data available
Flammability (solid, gas) : No data available
Explosion limits : No data available
Explosive properties : No data available
Oxidizing properties : No data available
Vapor pressure : No data available
Relative density : No data available

Date of issue: 10/2/2015 Revision date: 05/20/2015 Version: 1.0 P GHS SDS Page 3 of 6

# Safety Data Sheet

Relative vapor density at 20 °C : No data available

Specific gravity / density : 0.9 g/ml

Solubility Emulsifies in water. Log Pow : No data available Log Kow : No data available Auto-ignition temperature No data available Decomposition temperature : No data available Viscosity : No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available

VOC content : 12 %

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Upon combustion: CO and CO2 are formed.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

No flames, No sparks. Eliminate all sources of ignition. Heat. Welding.

#### 10.5. Incompatible materials

acids. Oxidizing agent.

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

#### **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

Acute toxicity : Not classified

| permethrin (ISO), m-phenoxybenzyl 3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (52645-53-1) |   |
|--|---|
| ATE CLP (oral) 500.000 mg/kg body weight   |   |
| ATE CLP (dust, mist)   | 1.500 mg/l/4h                                 |
| hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics (64742-47-8)                       |   |
| LD50 dermal rabbit   | > 5000 mg/kg body weight (Rabbit; Literature) |

Skin corrosion/irritation : Causes skin irritation.

pH: 7 - 8

Serious eye damage/irritation : Causes serious eye irritation.

pH: 7 - 8

Respiratory or skin sensitization : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

## permethrin (ISO), m-phenoxybenzyl 3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (52645-53-1)

IARC group 3 - Not Classifiable

Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) : Not classified Specific target organ toxicity (repeated : Not classified

exposure)

Aspiration hazard : Not classified

Symptoms/injuries after inhalation : Coughing. Headache. Irritation of the respiratory tract.
Symptoms/injuries after skin contact : Causes skin irritation. May cause an allergic skin reaction.

Symptoms/injuries after eye contact : Causes serious eye irritation.

Symptoms/injuries after ingestion : Harmful if swallowed. Fatal if swallowed.

Likely routes of exposure : Dermal;Inhalation;Ingestion.

 Date of issue: 10/2/2015
 Revision date: 05/20/2015
 Version: 1.0
 P GHS SDS
 Page 4 of 6

# Safety Data Sheet



## **SECTION 12: Ecological information**

#### 12.1. Toxicity

| hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics (64742-47-8) |                           |
|--|---------------------------|
| LC50 fish 1  | > 100 mg/l (Pisces)       |
| EC50 Daphnia 1   | > 100 mg/l (Invertebrata) |
| Threshold limit algae 1  | > 100 mg/l (Algae)        |

#### 12.2. Persistence and degradability

| hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics (64742-47-8) |  |
|--|--|
| Persistence and degradability  | Readily biodegradable in water. Adsorbs into the soil. |

## 12.3. Bioaccumulative potential

| hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics (64742-47-8) |   |
|--|---|
| Log Pow  | 6 - 8.2   |
| Bioaccumulative potential  | High potential for bioaccumulation (Log Kow > 5). |

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste treatment methods : Contents under pressure. Do not puncture, incinerate or crush.

Waste disposal recommendations : Dispose of contents/container to comply with local/regional/national regulations.

## **SECTION 14: Transport information**

#### Department of Transportation (DOT)

Transport document description : UN1950 Aerosols (flammable, (each not exceeding 1 L capacity)), 2.1

UN-No.(DOT) : UN1950 Proper Shipping Name (DOT) : Aerosols

flammable, (each not exceeding 1 L capacity)

Transport hazard class(es) (DOT) : 2.1 - Class 2.1 - Flammable gas 49 CFR 173.115

Hazard labels (DOT) : 2.1 - Flammable gas



DOT Packaging Non Bulk (49 CFR 173.xxx) : None DOT Packaging Bulk (49 CFR 173.xxx) : None DOT Special Provisions (49 CFR 172.102) : N82 DOT Packaging Exceptions (49 CFR : 306

173.xxx)

**DOT Quantity Limitations Passenger** 

aircraft/rail (49 CFR 173.27)

: 75 kg

**DOT Quantity Limitations Cargo aircraft** 

only (49 CFR 175.75)

: 150 kg

**DOT Vessel Stowage Location** : A

**DOT Vessel Stowage Other** 25 - Shade from radiant heat,87 - Stow "separated from" Class 1 (explosives) except Division

14,126 - Segregation same as for Class 9, miscellaneous hazardous materials

**Additional information** Other information

: This product may be eligible to be shipped as a Limited Quantity or Consumer Commodity ORM-D

utilizing the exception found at 49 CFR 173.306.

**ADR** 

No additional information available

Transport by sea

No additional information available

No additional information available

## **SECTION 15: Regulatory information**

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Date of issue: 10/2/2015 P GHS SDS Revision date: 05/20/2015 Version: 1.0 Page 5 of 6

# Safety Data Sheet



Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

permethrin (ISO), m-phenoxybenzyl 3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate

CAS No 52645-53-1

0.25

permethrin (ISO), m-phenoxybenzyl 3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (52645-53-1)

Listed on SARA Section 313 (Specific toxic chemical listings)

propane (74-98-6)

Not listed on SARA Section 313 (Specific toxic chemical listings)

California Proposition 65 - This product does not contains a substance(s) known to the state of California to cause cancer and/or reproductive toxicity

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labelling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

CAUTION: Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing.

## **SECTION 16: Other information**

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.

#### Full text of H-phrases:

| Acute Tox. 4 (Inhalation) | Acute toxicity (inhalation) Category 4             |
|---------------------------|--|
| Acute Tox. 4 (Oral)       | Acute toxicity (oral) Category 4                   |
| Asp. Tox. 1               | Aspiration hazard Category 1                       |
| Compressed gas            | Gases under pressure Compressed gas                |
| Eye Irrit. 2A             | Serious eye damage/eye irritation Category 2A      |
| Flam. Aerosol 2           | Flammable aerosol Category 2                       |
| Flam. Gas 1               | Flammable gases Category 1                         |
| Flam. Liq. 4              | Flammable liquids Category 4                       |
| Skin Irrit. 2             | Skin corrosion/irritation Category 2               |
| Skin Sens. 1              | Skin sensitization Category 1                      |
| H220                      | Extremely flammable gas                            |
| H223                      | Flammable aerosol                                  |
| H227                      | Combustible liquid                                 |
| H280                      | Contains gas under pressure; may explode if heated |
| H302                      | Harmful if swallowed                               |
| H304                      | May be fatal if swallowed and enters airways       |
| H315                      | Causes skin irritation                             |
| H317                      | May cause an allergic skin reaction                |
| H319                      | Causes serious eye irritation                      |
| H332                      | Harmful if inhaled                                 |


NFPA health hazard : 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury

unless prompt medical attention is given.

NFPA fire hazard : 4 - Will rapidly or completely vaporize at normal pressure and temperature, or is readily dispersed in

air and will burn readily.

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



#### Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.

Date of issue: 10/2/2015 Revision date: 05/20/2015 Version: 1.0 P GHS SDS Page 6 of 6